SONY

Compact Disc Player

Operating Instructions

CDP-C335
CDP-C235

© 1993 by Sony Corporation

Warning

To prevent fire or shock hazard, do not expose the unit to rain or moisture.


CAUTION
RISK OF ELECTRIC SHOCK
DO NOT OPEN
CAUTION : TO REDUCE THE RISK OF ELECTRIC SHOCK,
DO NOT REMOVE COVER (OR BACK).
NO USER-SERVICEABLE PARTS INSIDE.
REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.



This symbol is intended to alert the user to the presence of uninsulated "dangerous voltage" within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons.

This symbol is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the appliance.

INFORMATION

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures.

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

You are cautioned that any changes or modifications not expressly approved in this manual could void your authority to operate this equipment.

Owner's Record

The model and serial numbers are located at the rear. Record the serial number in the space provided below. Refer to these numbers whenever you call upon your Sony dealer regarding this product.

Model No. CDP-C335/CDP-C235 Serial No. _____

For the Customers in Canada

CAUTION

TO PREVENT ELECTRIC SHOCK, DO NOT USE THIS POLARIZED AC PLUG WITH AN EXTENSION CORD, RECEPTACLE OR OTHER OUTLET UNLESS THE BLADES CAN BE FULLY INSERTED TO PREVENT BLADE EXPOSURE.

THIS APPARATUS COMPLIES WITH THE CLASS B LIMITS FOR RADIO NOISE EMISSIONS SET OUT IN RADIO INTERFERENCE REGULATIONS.

For the Customers in Australia

The following caution label is located inside of the unit.

DANGER	DANGER
INVISIBLE LASER RADIATION WHEN OPEN AND INTERLOCK DEFEATED. AVOID DIRECT EXPOSURE TO BEAM.	RADIATION DE LESER INVISIBLE LORS D'OUVERTURE AVEC L'ENCLENCHEMENT DE SECURITE ANNULE EVITER L'EXPOSITION DIRECTE AU RAYON. 4 909-403-01

This Compact Disc player is classified as a CLASS 1 LASER product.
The CLASS 1 LASER PRODUCT MARKING is located on the rear exterior.

Table of Contents

Chapter 1 Introduction
Precautions 3

Chapter 2 Getting Started
Unpacking 4
Hooking Up the System 5
Identifying the Parts 6

Chapter 3 Basic Operations
Playing Discs – Continuous Play 8
Playing From the First Selection 8
Information Display 9
Locating a Particular Selection 10
Locating a Particular Point in a Selection 10
Replacing Discs While Playing a Disc 11
Fade-In/Fade-Out 12
Playing in a Random Order – Shuffle Play 13
Playing in a Specified Order – Program Play 14
Playing the Beginning of Each Selection – Music Scan Play 17
Playing Repeatedly – Repeat Play 18

Chapter 4 Advanced Operations
Locating the Loudest Portion of the Disc – Peak Search ... 19
Specifying the Total Playing Time – Time Edit 20
Fading Out at the Desired Time – Time Fade 22

Chapter 5 Additional Information
Maintenance 23
Specifications 23
Troubleshooting ..... Back cover

Note when moving the player
Before moving the player, follow the procedure below to return the internal mechanisms back to their original position.
1 Remove all of the discs from the disc tray.
2 Press the ⏏ OPEN/CLOSE button to close the disc tray. Make sure that the "no disc" indication lights up in the front panel dispaly.
3 Wait for 10 seconds, then press the POWER button to turn the player off.

Differences by Model
This instruction manual covers CDP-C335 and CDP-C235. Their performance is identical except for the following:
- The CDP-C335 comes with the PHONES jack and PHONE LEVEL control. The illustrations in this manual are of the CDP-C335.
- The remote commander (RM-D335) is supplied with the CDP-C335 only.

Convention

This indicates a function operated only from the main unit.

Precautions

On safety
- Should any solid or liquid object enter the cabinet, unplug the unit and have it checked by qualified personnel before operating it any further.
- Unplug the unit from the wall outlet if it is not to be used for an extended period of time. To disconnect the cord, pull it out by the plug. Never pull the cord itself. The unit is not disconnected from the AC power source (mains) as long as it is connected to the wall outlet, even if the unit itself has been turned off.
- The AC power cord must be changed only at the qualified service shop.
- As the laser beam used in this unit is harmful to the eyes, do not attempt to disassemble the cabinet. Refer servicing to qualified personnel only.

On operation
- Do not turn up the volume while listening to a portion with no audio signals or very low level inputs. If you do, the speakers may be damaged when a peak level portion is played.

On the disc tray
- If the disc tray does not close properly and slides out again, reinsert the discs.
- Be careful not to pinch your fingers between the disc tray and the unit.
- Place only one disc in a disc compartment at a time.
- When the disc tray is open, do not press down on it forcibly, nor place a heavy object on it.

On moisture condensation
If the unit is brought directly from a cold to a warm location, or is placed in a very damp room, moisture may condense on the lens inside the unit. Should this occur, the unit will not operate. In this case, remove the disc and leave the unit turned on for about an hour until the moisture evaporates.

Notes on handling discs
- To keep a disc clean, handle the disc by its edge. Do not touch the surface.

- Do not stick paper or tape on the disc.

- Do not expose the disc to direct sunlight or heat sources such as hot air ducts, or leave it in a car parked in direct sunlight as the heat may cause the disc to warp.
- After playing, store the disc in its case.

If you have any questions or problems concerning your player, please contact your nearest Sony dealer.

Customer for the U.S.A.
For detailed safety precautions, see the leaflet "IMPORTANT SAFEGUARDS".

Unpacking

Choosing a Good Location

- Place the player in a location with adequate air circulation to prevent internal heat built up in the player.
- Do not place the player on a soft surface, such as a rug that would block the ventilation holes on the bottom.
- Do not install the player:
  - near heat sources such as radiators or air ducts.
  - in a place subject to direct sunlight, excessive dust, mechanical vibration or shock.

Checking the Supplied Accessories

Make sure that all the supplied accessories are included with your player. This manual and the following items are included with your CDP-C335/CDP-C235.

Remote commander
RM-D335 (1)
(CDP-C335 only)



Sony batteries
SUM-3(NS) (2)
(CDP-C335 only)



Audio connecting cord (1)

Inserting Batteries into the Remote Commander (CDP-C335 only)

1 **Slide open the cover.**



2 **Insert two size AA (R6) batteries with correct polarity.**



Battery life

- About half a year of normal operation can be expected when using the Sony batteries SUM-3(NS).
- When the batteries are run down, the remote commander will not operate the player. In this case, replace both batteries with new ones.

Notes on remote commander operation

- Avoid exposing the remote sensor to direct sunlight or a lighting apparatus. Such exposure may cause a malfunction.
- To avoid damage caused by battery leakage and corrosion, remove the batteries when the commander will not be used for a long time.

Hooking Up the System

Notes on Connection

- Turn off the power to each unit before making connections. Connect the AC power cord last.
- Be sure to insert the plugs firmly into the jacks. Loose connections may cause hum or noise.
- Leave a little slack in the connecting cord to allow for inadvertent shock or vibration.
- Cord plugs and jacks are color coded:
  Red plugs and jacks are for the right channel (R) and white ones for the left channel (L).

Connecting an Amplifier



Identifying the Parts

Front Panel



See the pages indicated in ( ) for details.

1 POWER switch (8)
2 PLAY MODE buttons
  CONTINUE button (8)
  SHUFFLE button (13)
  PROGRAM button (14)
3 DISC 1-5 buttons (8)
4 REPEAT button (18)
5 Remote sensor (4)
6 Display window (8)
7 Disc tray (8)
8 II (pause) button (8)
9 ▶ (play) button (8)
10 I◀◀/▶▶I (AMS*) buttons (10)
11 ◀◀/▶▶ (manual search) buttons (10)
12 ■ (stop) button (8)
13 DISC SKIP button (8)
14 ⏏ OPEN/CLOSE button (8)
15 PEAK SEARCH button (19)
16 MUSIC SCAN (M. SCAN) button (17)
17 TIME button (9)
18 FADER button (12)
19 Numeric buttons (10)
20 >10 (over 10) button (10)
21 EDIT/TIME FADE button (20)
22 CLEAR button (14)
23 CHECK button (16)
24 PHONES jack (CDP-C335 only) (9)
25 PHONE LEVEL control (CDP-C335 only) (9)
26 EX-CHANGE button (11)

* AMS is the abbreviation for Automatic Music Sensor.

Remote Commander (CDP-C335 only)



See the pages indicated in ( ) for details.

1. PLAY MODE buttons
   - CONTINUE button (8)
   - SHUFFLE button (13)
   - PROGRAM button (14)
2. Numeric buttons (10)
3. >10 (over 10) button (10)
4. DISC 1-5 buttons (8)
5. ▶ (play) button (8)
6. II (pause) button (8)
7. ⏮/⏭ (AMS) buttons (10)
8. ◀◀/▶▶ (manual search) buttons (10)
9. CLEAR button (14)
10. DISC SKIP button (8)
11. ■ (stop) button (8)
12. MUSIC SCAN (M. SCAN) button (17)
13. FADER button (12)

Playing Discs – Continuous Play

In continuous play mode, you can play up to five discs consecutively.
Before playing discs, turn on the amplifier and set the input selector to the CD player position. While playing a disc, you can replace the other four discs in the player with new ones using the EX-CHANGE button.

Playing From the First Selection



1 **Press POWER.**

The display lights up.

2 **Press ⏏.**



3 **Place a disc with the label side up in the disc compartment.**



– To play more than one disc, go to step 4.
– To play only one disc, go to step 5.

4 **Press DISC SKIP to set the next empty disc compartment and place another disc in it.**



5 **Press CONTINUE to select ALL DISCS or 1 DISC.**



Each time you press CONTINUE, the indication ALL DISCS and 1 DISC alternate in the display.

6 **Press ▶ or DISC 1-5.**



The disc tray closes to start playing the first selection.
– If you press ▶, the disc in the front loading position starts playing.
– If you press one of the DISC 1-5 buttons, the selected disc starts playing.

To stop play
To pause during play, press ▮▮.
Press ▶ or ▮▮ to resume play.
To stop play, press ■.
To stop play and open the tray, press ⏏.

To select the disc from which the playing starts
There are two ways.
a) To scan discs, press or hold down DISC SKIP.
b) To select a particular disc directly, press the corresponding DISC 1-5 button.

Notes on ALL DISCS and 1 DISC
- If you choose ALL DISCS, all the discs in the player are played consecutively. An empty disc compartment is skipped.
- If you choose 1 DISC, only one disc is played.

Notes on disc tray
- Place a disc in the empty disc compartment only when it is in the front loading position. Otherwise, the player may not be able to find the disc.
- Always close the disc tray when not using the player to prevent dust from entering the unit.
- Place the disc properly in the disc compartment to prevent the disc from being damaged.

When listening with headphones (CDP-C335 only)
Connect the headphones to the PHONES jack and adjust the volume with the PHONE LEVEL control on the player.

To play an 8 cm (3-inch) CD
Place it in the inner circle in the disc compartment. If the disc is provided with an adaptor, first remove it. Do not put a normal CD (12cm/5-inch) on top of an 8 cm (3-inch) CD.

Information Display

Checking the total number of selections and total playing time of the disc to be played.

There are two ways to check.
a) Place the disc in the disc compartment in the front loading position, then press ⏏ or the disc tray itself to close it.
b) Press TIME on the player during stop. To check another disc, press DISC SKIP, then press TIME.



Notes on "① ②..." in the display
- The red circle around a disc number indicates the disc is ready to be played.
  The red circle moves each time you press DISC SKIP.
- When all the selections on a disc have been played, the semi-circle around the disc number disappears.
- When a compartment is recognized as empty, the semi-circled disc number disappears.

Changing the display
Each time you press TIME during play, the display changes to give you the following information:


Elapsed time in the selection being played (current selection)
ALL DISCS
DISC
TRACK
MIN
SEC
FADE
TIME
Current selection number
Remaining time in the current selection. If the current selection number is greater than 23, "– –.– –" appears
Total remaining time on the current disc (does not appear in shuffle or program mode)

Notes on the information display
- Total remaining time is only available in the continuous play mode.
- Total remaining time will appear if the time fade function is set during program or shuffle play.

What is this indication?

no dISC

This indication appears when all disc compartments are empty.

Playing Discs



Locating a Particular Selection

There are two ways to locate the beginning of a desired selection on the current disc.

A. To locate sequentially (Automatic Music Sensor)
- Press I◀◀ once to locate the beginning of the current selection.
- Press ▶▶I once to locate the beginning of the next selection.
- Hold down I◀◀ or ▶▶I to skip selections.

B. To locate a selection directly

Press one of the numeric buttons on the player or remote commander to enter the desired selection.
To enter a number greater than 10, use the >10 and 1 to 10 buttons.

Example:
To play from selection No.22
Press >10 2 2.
To play from selection No.30
Press >10 3 10.
10 functions as the number 0.

Locating a Particular Point in a Selection

There are two ways to locate a desired point on a disc.

A. To locate a point on the current disc while monitoring the sound

Hold down ◀◀ or ▶▶ during play.

B. To locate a point on the current disc quickly by watching the display

Press II, then hold down ◀◀ or ▶▶. The search speed will increase, but there will be no sound. Find the desired point by watching the display.
Press II or ▶ again at the desired point to resume play.

"⌐ ⌐" appears in the display

If you continuously press ▶▶ during play at the end of the disc, "⌐ ⌐" appears in the display. Press ◀◀ or I◀◀ to return to the normal display

Replacing Discs While Playing a Disc

To replace discs while playing a disc, use the EX-CHANGE button. You can open the disc tray and check what discs are to be played next, or replace discs without interrupting playback of the current disc.



1 **Press EX-CHANGE.**



If you are playing a disc, it continues to play.

2 **Replace discs in the compartments with new ones.**



You can replace up to two discs at a time.

3 **Press DISC SKIP.**



The disc tray turns and another two disc compartments appear.

4 **Replace discs in the compartments with new ones.**



5 **Press EX-CHANGE.**

The disc tray closes and playback continues.

Notes on EX-CHANGE

- Each time you press DISC SKIP while the disc tray is open, the disc tray turns and two pairs of the disc compartments appear alternately, but the compartment for the disc currently played does not appear to avoid two discs being placed in one disc compartment.
- Do not turn the disc tray forcibly.
- You can use almost all of the functions to play the current disc while the disc tray is open.
- If playback of the current disc ends while the disc tray is open, the player stops playing. In one disc repeat mode, the current disc starts playing again.
- In ALL DISCS shuffle mode, selections are reshuffled on the current disc while the disc tray is open.
- In program mode, only the selections on the current disc are played.
- If you turn off/on the player while the disc tray is open, the current disc number may change.

When you open the disc tray by pressing EX-CHANGE

Do not push the disc tray to close it as you may damage the player.

Fade-In/Fade-Out

Fading in and out allows you to record selections on your tape in such a manner that play starts and stops gradually.

Fading



To fade out
Press FADER during play at the point you want to start fading out. "[FADE]" flashes in the display, play fades out and the player enters pause mode.

To fade in
Press FADER during pause.
"[FADE]" flashes in the display, and play fades in.

Changing the Fade Time



You can vary the fading time from 2 to 10 seconds while the player is stopped. When a time is not specified, play will fade in and fade out for 5 seconds.

1 **Press FADER during stop.**



"[FADE]" flashes and the actual fade time appears.

2 **Press [2] – [10] to select fade time.**
Example:
To set to 8 seconds, press [8].



Note
The fade time is reset to 5 seconds when you turn off the player.

Playing in a Random Order – Shuffle Play

Shuffle play allows you to play up to 99 selections in a random order. You can play selections from all discs or only specified loaded disc(s).

Shuffle Play on All or One disc



1 **Place the discs in the disc compartments.**



2 **Press SHUFFLE to choose ALL DISCS or 1 DISC.**



- ALL DISCS: The selections from all discs are played in a random order.
- 1 DISC: The selections from the current disc are played in a random order.

3 **Press ▶.**



Shuffle play starts.
In 1 DISC mode, you can also use DISC 1-5.

To stop play
Press ■.

To cancel shuffle play
Press CONTINUE to return to continuous play mode.

If you press SHUFFLE during continuous or program play
Shuffle play begins from the current selection.

What is this indication?
This indication appears while the player is "shuffling" the selections.

Shuffle Play on Specified Discs – Select Shuffle Play

If you specify discs before or during play in ALL DISCS shuffle mode, the selections on the specified discs only will play in a random order.

To specify the discs
Press DISC 1-5 to specify the discs after choosing ALL DISCS mode.
Semi-circles appear around the selected disc numbers to be played. To cancel the selected discs, press DISC 1-5 again. The semi-circles disappear.

To return to all shuffle play
Press SHUFFLE twice.

Playing in a Specified Order – Program Play

Program play allows you to program up to 32 "steps" in the order you specify. One "step" may contain one selection or a whole disc. You can check the total playing time while programming the selections.

Program Play



1 **Place discs in the disc compartments, then press ⏏.**



2 **Press PROGRAM.**

"PROGRAM" appears in the display.
If a program has been previously stored, it is recalled. Hold down CLEAR to erase the program (page 15).

3 **Press DISC 1-5 to select the disc.**





To program all selections on a disc in one step, continue by choosing another disc. If you use DISC SKIP instead of DISC 1-5 to choose the disc, press PROGRAM after that.
- If you want to choose certain selections, go to step 4.
- If you have chosen to play entire discs, go to step 6.

4-A **Press the numeric buttons in the order you want to program the selections.**





"AL" in the display disappears, then the selections you choose will be programmed.
- To enter a selection number greater than 10, see page 10.
- If you enter the wrong numbers:
  Each time you press CLEAR, the last entered number will be deleted.

4-B To program selections while checking the total playing time (Program Edit).

1) Press I◄◄ or ►►I instead of the numeric buttons to choose a selection to be programmed.





2) Press PROGRAM.

The flashing number in the display lights up and the selection is programmed.

Repeat 1), 2), above to program another selection.

5 To program selections on another disc, repeat steps 3 and 4.

6 Press ►.



Program play starts.

To stop play
Press ■.
You can play the same program repeatedly until you erase the program or turn off the player.

To erase the program
Hold down CLEAR until "ALL CLr" appears in the display.



To cancel program play
Press CONTINUE to return to continuous play mode.
To recall the program you have made, press PROGRAM again.

If the total playing time does not appear (only "STEP" appears)
You have programmed a selection number greater than 20 or the total playing time exceeds 199 minutes and 59 seconds.

If you press PROGRAM during continuous or shuffle play
You can make a program while playing the selection. If you have made a program, the selections are played after the current selection.

If you replace discs
The program is stored until you erase it or turn off the player. If you replace discs, the program operates on the new discs. The selection numbers not existing on the disc are deleted from the program and the rest are played in the programmed order.

Playing in a Specified Order

Recording Programmed Selections

You can make a program to be recorded fit to your tape length. By entering II, you can divide a program into side A and B. At the end of a program for side A, the player automatically pauses before side A ends so that a selection is not cut off.



1 **Program the selections to be recorded on side A of your tape by repeating steps 1 to 5 on pages 14 and 15.**

2 **Press II to program selections for side B.**



The selections to be recorded on side A will be programmed.

3 **Program the selections for side B.**
Repeat steps 1 to 5 on pages 14 and 15.

4 **Start recording on the cassette deck, then press ▶.**



Program play starts.

To play the selections for side B
Play automatically pauses at the point a pause is programmed. Set the tape to the beginning of side B, then press ▶ or II. The selections for side B will start playing.

Note
By pressing II, a pause is programmed as a selection. The player counts pauses as selections to be programmed.

To check the remaining time
Press TIME once to see the remaining time on the current selection; twice to return to the initial display. The total remaining time does not appear in program mode.

Checking Your Program

Press CHECK. The first selection in the program appears. Each time you press CHECK, the next selection in the program appears. One of the tape indicators "[A]" or "[B]" appears when the program for side A or B is being played or checked.

Changing Your Program

To delete the last selection
Press CLEAR during stop. Each time you press CLEAR, the last selection in the program will be deleted.

To delete a selection
Press CHECK repeatedly until the selection you want deleted is displayed. Then press CLEAR.

To add selections to the end of the program
Press DISC 1-5 to select the disc and press the numeric buttons for those selections. You can do this during stop, play or pause.

To change the order
Hold down CLEAR to erase the program. Then repeat the programming procedure from the beginning.

To make a program by referring to disc labels
You can make a program while the disc tray is open. Follow the steps 2 to 4-A on page 14, then 5, 6 on page 15. Program Edit is not available.

Playing the Beginning of Each Selection – Music Scan Play

You can sample the beginning of each selection on a disc. You can also check the beginning of the first selection on each disc loaded. This is useful to check selections in a disc or discs loaded in the player.

Music Scan Play



Press MUSIC SCAN (or M. SCAN on the remote commander).

Each time you press MUSIC SCAN, the playing time of each selection changes cyclically from 10 to 30 seconds.



"▶" flashes in the display and the beginning of each selection is played for the designated period.

To check the selections on the current disc
Press MUSIC SCAN in 1 DISC continuous play mode.

To check the first selection on each disc
Press MUSIC SCAN in ALL DISCS continuous play mode.

If you press MUSIC SCAN in program play mode
The beginning of each selection plays in the programmed order. At this time the programmed pauses are ignored.

To stop music scan play
Press ■.

To start play during music scan play
Press ▶. "▶" lights up in the display and normal play starts.

If you press MUSIC SCAN during music scan play
The playing time of the selection is extended by 10, 20 or 30 seconds.

If you press ◀◀ or ▶▶ during music scan
Music scan is cancelled and normal play starts.

Note
The playing time of each selections is reset to 10 seconds when you turn off the player.

Playing Repeatedly – Repeat Play

Repeat play allows you to repeat selections in any play mode. You can repeat all discs, only specified discs, one selection, or programmed or reshuffled selections.

Repeat Play



a) To repeat all selections
Press REPEAT once. "REPEAT" appears in the display. The player will repeat in the current play mode.

Playing mode	Selections to be repeated
Continuous play (ALL DISCS)	All selections on all discs
Continuous play (1 DISC)	All selections on the current disc
Shuffle play (ALL DISCS)	Selections on all discs (or selected discs) that the player reshuffles
Shuffle play (1 DISC)	Selections on the current disc that the player reshuffles
Program play	All the selections in the programmed order

b) To repeat the current playing selection (only during continuous play)
Press REPEAT during repeat play. "REPEAT 1" appears in the display.
(Not operable during shuffle or program play.)

c) To cancel repeat play
Press REPEAT until "REPEAT" or "REPEAT 1" disappears.

Locating the Loudest Portion of the Disc – Peak Search

You can locate the portion with the highest input level of the disc to adjust the recording level.

Continuous or shuffle play mode
– Searches all selections on the disc which is ready to be played in ALL DISCS as well as in 1 DISC mode.

Program play mode
– Searches all programmed selections

Playing Peak Search



Press PEAK SEARCH during stop.



"PEAK" flashes in the display. All the selections in the disc or program will be searched automatically. The loudest portion will play repeatedly for 4 seconds. Adjust the recording level on your tape deck according to the peak level.

To stop peak search
Press ■.
Press ▶ to start play from the beginning of the disc.
Press II to pause at the first selection.
"PEAK" will disappear from the display.

To go to another disc
Press DISC SKIP during stop.

Notes on Peak Search
- The unit scans input levels of the whole disc and determines the peak (maximum input level) among them. The peak determined with this function is sometimes slightly different from the real one. In addition, portions determined as a peak vary each time this function is carried out on the same disc. The difference between the determined and the real peak is however, negligible and will not prevent you from adjusting the recording level.
- Peak search does not work if you press EX-CHANGE to open the disc tray.

Specifying the Total Playing Time – Time Edit

If you specify the total length of your tape, the player will accordingly program selections to be recorded on sides A and B of your tape. This function edits selections on your tape without changing their original order on your disc, choosing the last selection(s) that fit the remaining length of your tape.

Programming



If you want to edit particular selections on your tape in preference to the others, program those selections beforehand (page 14).

1 **Press DISC SKIP to select the disc to be played.**

2 **Press EDIT/TIME FADE.**



"EDIT" appears and "A" flashes in the display.

3-A **Specify a commercially available tape length.**





Each time you press ▶▶I, the display changes to give you the following duration:

→ --.-- → C-46 (23.00) → C-54 (27.00) →
C-90 (45.45) ← C-74 (37.00) ← C-60 (30.00) ←

By pressing I◀◀, you can reverse the above cycle.

3-B **Specify any tape length for one side of your tape.**

Use numeric buttons [1] - [10]. Press [10] for "0". You need not press keys for seconds, unless required.

Example:
To set to 23 minutes 15 seconds, press [2], [3], [1] and [5].





4 **Press EDIT/TIME FADE once after specifying the recording time.**



The selections for side A are determined automatically. "EDIT" and "A" light up. "B" flashes.

5 **Press EDIT/TIME FADE once more, to make a program for the other side of your tape.**



If "LINK" flashes, see "Adding Selection(s) – LINK edit".

6 **Start recording on the cassette deck, then press ▶.**



The selections for side A will play and then the player will pause. "B" lights up in the tape side indicator. Set the tape to the beginning of side B, then press ▶ or ⏸.

Adding Selection(s) – LINK edit

After all selections on the disc have been programmed, if there is (a) selection(s) shorter than the remaining time, "LINK" and the selection numbers will flash.



To add a selection, press the numeric button for the selection number or press EDIT/TIME FADE again. When pressing EDIT/TIME FADE, a program will be made automatically to fit the playing time as close as possible to the remaining time. If enough time remains to fit more selections, "LINK" and the selection numbers keep flashing. When "LINK" flashes, if you select another disc using DISC SKIP, the new selection number(s) on the new disc that fit in the remaining time will flash. "EDIT" disappears when the rest of the playing time is less than 1 minute. Whether "LINK" is flashing or not, you can use DISC SKIP to change the disc and choose selection(s) to fit the remaining time. If you don't add any selection(s), press ■. "EDIT" disappears.

To stop play
Press ■.
You can play the same program repeatedly as long as you do not cancel time edit or erase the program.

To cancel time edit
Press CLEAR.
"EDIT" disappears.

To erase the program
Hold down CLEAR until "ALL CLr" appears in the display.

To check your program
See page 16.

If your disc has more than 20 selections
Selections over number 20 cannot be programmed with the time edit function.

You cannot edit selections in the following cases:
- If you have programmed up to 32 steps (i.e. selections plus pauses).
- If you have programmed selections whose playing time exceeds 100 minutes.
- If you have programmed a selection number greater than 20.

To specify a different time for each side
Follow steps 1 to 4 and press ⏸. Then repeat steps 2 and 4. Do not follow step 5.

Notes on time edit
- The duration can be set to 99 minutes 59 seconds.
- Playback can be performed when "EDIT" appears.

Fading Out at the Desired Time – Time Fade

You can have play fade out at the end by specifying the play duration. Once the time fade is set, it functions twice for editing both sides of a tape. You can change discs without cancelling this function. The fade time is preset to 5 seconds, but you can change it to last from 2 to 10 seconds (page 12).

Setting Time Fade and Playing



1 **Press EDIT/TIME FADE twice during stop (or once during pause).**



"TIME FADE" and "A-" appear in the display.

2-A **Specify a commercially available tape length.**





Each time you press ▶▶I, the display changes to give you the following duration:

→ --.-- → C-46 (23.00) → C-54 (27.00) →
C-90 (45.00) ← C-74 (37.00) ← C-60 (30.00) ←

By pressing I◀◀, you can reverse the above cycle.

2-B **Specify any tape length for one side of your tape.**

Set the desired play duration using numeric buttons.
Example:
To set to 27 minutes 15 seconds, press [2], [7], [1] and [5].
You need not press buttons for seconds, unless required.

Note
The duration can be set to 99 minutes 59 seconds



3 **Press ▶.**



Play starts.
After the specified time, play fades out and pauses. Tape side "B" lights up. Press ▶ or II to resume playing for the other side of the tape. If you press FADER, fade in will start. When play fades out for the second time, the player pauses and the time fade function is cancelled.

To cancel time fade
Press EDIT/TIME FADE once again, or press ◀◀ or ▶▶ during play.

When a disc ends before the specified time
The time fade function remains effective. You can change discs and continue playing until the specified time is up.

To display the time remaining until the time set
Press TIME during play until the total remaining time appears (page 9).

Maintenance

Cleaning Your Player

Clean the cabinet, panel and controls with a soft cloth lightly moistened with a mild detergent solution. Do not use any type of abrasive pad, scouring powder or solvent such as alcohol or benzine.

Cleaning Discs

When a disc becomes dirty, clean it with a cleaning cloth. Wipe the disc from the center out.



Do not use solvents such as benzine, thinner, commercially available cleaners or anti-static spray intended for analog discs.

Specifications

Compact Disc Player

System	Compact disc digital audio system
Laser	Semiconductor laser
Wavelength	780-790 nm
Frequency response	2 Hz-20 kHz (±0.5 dB)
Signal to noise ratio	More than 102 dB
Dynamic range	More than 98 dB
Harmonic distortion	Less than 0.0045%
Channel separation	More than 100 dB

Outputs

LINE OUT (phono jacks)	Output level 2 V (at 50 kilohms) Load impedance over 10 kilohms
PHONES (stereo phone jack)	Output level max. 10 mW Load impedance 32 ohms (CDP-C335 only)

General

Power requirements	Model for the USA and Canada 120 V AC, 60 Hz Model for Australia 240V AC, 50/60 Hz
Power consumption	14 W
Dimensions (w/h/d)	Approx. 430 × 125 × 385 mm (17 × 5 × 15¼ inches) (CDP-C335/C235) Including projecting parts and controls
Mass	Approx. 5.6 kg , net (12 lbs 6oz) (CDP-C335/C235)

Remote Commander	**RM-D335 (CDP-C335 only)**
Remote control system	Infrared control
Power requirements	3 V DC with two size AA batteries (IEC designation R6)
Dimensions	45 × 185 × 20 mm (w/h/d) (1 13/16 × 7 3/8 × 13/16 inches)
Mass	100 g (3.5 oz) including batteries

Design and specifications are subject to change without notice.

Troubleshooting

Before going through the check list below, first refer back to the applicable connections and operating procedures.
Should problem persist after you have checked these items, consult your nearest Sony service facility.

Symptom	Cause	Remedy
The disc tray does not close.	The disc is not placed correctly.	Place the disc correctly on the disc tray.
Play does not start.	The disc is dirty.	Clean the disc.
	The disc is inserted upside down.	Insert the disc with the printed side up.
	The player is in pause mode.	Press ▶ or II to release pause.
	Moisture has condensed.	Leave the player on for approximately one hour.
"no dISC" appears.	There is no disc in the player.	Insert a disc.
"6 dISC S" appears.	Six discs are inserted.	Remove a disc from the disc tray.
No sound is heard.	There is a loose connection.	Insert the plug firmly.
	The connection is incorrect.	Check the connection referring to "Hooking up the system".
Play does not begin from the first selection.	The player is in program or shuffle play mode.	Press CONTINUE.
Two or more discs cannot be played consecutively.	The player is in the 1 DISC mode.	Press CONTINUE to choose ALL DISCS mode.
"- -" is displayed.	▶▶ was continuously pressed at the end of the disc.	Press ◀◀ or I◀◀ to return to the normal indication.
The remote commander does not operate the player. (CDP-C335 only)	The batteries are run down.	Replace both batteries.
	The remote commander is not pointed at the remote sensor.	Point the remote commander at the sensor.
	There is an obstacle between the remote commander and the player.	Remove the obstacle.
	The remote commander is too far from the player.	Move it closer.

Note
This unit uses several micro-computer chips to control a series of operations. Sometimes, an operation may not work properly due to the condition of the power being supplied. In this case, turn the power off, then turn it back on and retry the operation.

Sony Corporation Printed in Japan